



Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





rade-List

OF

AMERICAN

PLANTS....

...AND...



SHRUBS

COLLECTED AND GROWN BY

WM. F. BASSETT & SON,

Hammonton,

1896-7.

New Jersey, U. S. A.

Terms and Remarks.

THE SEASON of 1896 has been very favorable for the growth of plants in our section, and we are enabled to offer the finest stock we have ever grown. We have also largely increased our stock. We wish to call special attention to the following plants, which we can now offer in several grades, all of which have grown from one to three years in the nursery:

**CLETHRA ALNIFOLIA, ANDROMEDA MARIANA, MAGNOLIA GLAUCA,
ROSA LUCIDA, CHIONANTHUS VIRGINICA, SYMPHORICARPOS VULGARIS,
LIRIODENDRON TULIPIFERA, LIQUIDAMBAR STYRACIFLUA,
PYRUS ARBUTIFOLIA, ILEX OPACA.**

COLLECTED PLANTS.—In this branch of our business we aim to be leaders. We call particular attention to the very superior quality of plants collected by us.

PACKING.—We make no charge for packing, except on large stock, where the cost is out of proportion to the price of stock. Only the best sphagnum moss is used in packing.

COMPLAINTS.—All complaints, to receive notice by us, must be made within ten days after stock is received.


PRICES are without discount, except that where cash accompanies the order, 5 per cent. may be deducted. Six, fifty and five hundred may be ordered at dozen, hundred and thousand rates.

BILLS are due and payable 30 days from date.

Address

WM. F. BASSETT & SON,
Hammoncton, New Jersey.





CENTROSEMA VIRGINICA.

OUR NOVELTIES.

CENTROSEMA VIRGINICA.

Wherever a lovely climbing vine is wanted this should be used. Plant them among beds of iris, among groups of eulalias and other hardy grasses, among shrubbery and in bits of wild grass. In these places they make a lovely show of blue sweet pea-like flowers, and will remain from year to year. It makes itself at home among other plants, and is more beautiful than when planted alone. It is particularly valuable for seaside planting, as it stands the salt air. It succeeds perfectly in almost pure beach sand, making an elegant mass of foliage and flowers. There has been some question as to its hardiness by those not understanding its nature. It almost always kills below the crown in winter, but just as surely sprouts again from the roots lower down.

Propagation from Root-cuttings. The best method of propagation is from pieces of roots a few inches long. If these are packed in a box of moss early in December, and kept in a warm place in the greenhouse (under the bench, over a water pipe), they

will develop buds. They may be then potted off and grown in pots, or may be kept nearly dormant and planted in open ground in May.

It makes a beautiful vine, climbing 6 to 8 feet, and producing for six weeks a profusion of very large inverted pea-shaped flowers of an elegant shade of pale violet-blue. The sketch (page 3) shows the size and appearance of a leaf and flower. It blooms very freely the first year from seed. The seed should, however, be soaked in VERY HOT WATER until it swells, and then sown immediately. Price of seed, 40 cts. per oz., \$1 per $\frac{1}{4}$ lb., \$3.50 per lb. Price of root cuttings, \$1.50 per 100, \$10 per 1,000.

KOSTELETZKYA VIRGINICA.

This is one of the Malvaceæ that is well worth a place in any garden. It makes a robust plant 2 to 3 feet high, covered in late summer with beautiful rose-pink flowers $2\frac{1}{2}$ inches across, opening almost flat. It has been called "PINK BEAUTY," a very appropriate name. It is hardy with a little protection. It blooms the first year from seed, but much better the second year. We have a fine lot of both one and two-year tubers. Price of seed, 75 cts. per oz., \$3 per $\frac{1}{4}$ lb., \$10 per lb. Price of tubers, 1-year, \$4 per 100, \$35 per 1,000; 2-year, \$5 per 100, \$45 per 1,000.

CRIMSON EYE HIBISCUS

The finest strain of Hardy Hibiscus. See cut on page 8.

New crop seed, 40 cts. per oz., \$3 per lb.; 1-year plants, \$1.75 per 100, \$12 per 1,000; 2-year plants, \$2.50 per 100, \$18 per 1,000.



KOSTELETZKYA VIRGINICA.



TRILLIUM

GRANDIFLORUM ROSEUM.

TRILLIUM GRANDIFLORUM ROSEUM.

In this new Trillium we have a distinct botanical variety, and possibly a new species. The flowers are of the large size and form of *T. grandiflorum*, and vary in color from light pink to deep rose. *T. grandiflorum* occasionally turns to a dull pink with age, but the var. *roseum* is a bright, live pink at the start, turning darker with age. The foliage is much nearer *T. erectum*, the leaflets being *fully as broad as long*, while in *T. grandiflorum* they are *much longer than broad*. We offered it to a few parties last year, but as *our statements were doubted*, we withdrew our offers. (One party wrote: "*I simply do not believe it.*") We have bloomed a lot of 2,500 plants this spring, and we can say positively that it is distinct. A mass of bloom from a distance has the color of peach blossoms. We can recommend it is a beautiful addition to the Trilliums. We offer transplanted bulbs as follows: 75 cts. per doz., \$4 per 100.

General List of HARDY PERENNIALS.

Varieties in **full faced type** are nursery-grown ; others are collected plants.

	Per doz.	Per 100	Per 1,000
Achillaea, The Pearl	\$0 40	\$2 50	\$20 00
" millefolium roseum	60	4 00	
" tomentosa	60	4 00	
Aster patens	50	2 00	15 00
" concolor	75	4 00	35 00
" spectabilis	50	2 50	20 00
" nemoralis	80	5 00	
" linariifolius	50	1 50	12 00
" Tradescantii	40	2 50	20 00
" longifolius	75	4 00	
Anthemis tinctoria	75	3 50	
Apios tuberosa	30	1 00	8 00
Arenaria squarrosa	80	3 00	25 00
" lateriflora	1 00	6 00	
Anemone nemorosa	75	3 00	
Anemonella thalictroides	60	3 00	
Aquilegia Canadensis	50	2 00	15 00
Asarum Canadensis	80	5 00	
Aletris farinosa	50	1 80	12 00
Asclepias tuberosa	80	5 00	40 00
" obtusifolia	60	3 00	
" incarnata	50	2 50	20 00
" " pulchra	50	2 50	20 00
" rubra	2 00		
Aplectrum hyemale	80	4 00	
Arisaema triphyllum	40	1 50	10 00
" dracontium	80	4 00	
Acorus calamus	50	1 50	10 00
Aspidium marginale	50	2 00	15 00
" thelypteris	50	2 00	15 00
" novaboracensis	50	2 00	15 00
" acrostichoides	50	2 00	15 00
" cristatum	80	4 00	
" spinulosum	75	3 00	25 00
Asplenium ebeneum	50	2 00	15 00
" trichomanes	75	3 00	
Adiantum pedatum	75	3 00	25 00
Andropogon macrourus	50	2 00	
Breweria Pickeringii	1 00	6 00	
Baptisia tinctoria	75	2 50	20 00
Brasenia peltata	50	2 00	15 00
Botrychium Virginicum	80	4 00	
Coreopsis lanceolata	50	2 50	20 00
Chrysopsis mariana	50	2 50	20 00
" falcata	75	5 00	
Convallaria majalis	50	2 00	

	Per doz.	Per 100	Per 1,000
<i>Clintonia borealis</i>	\$0 60	\$3 00	
<i>Calopogon pulchellus</i>	50	3 00	
<i>Cypripedium acaule</i>	60	3 00	
" <i>spectabile</i>	1 75	10 00	
" <i>pubescens</i>	1 25	8 00	
<i>Cunilla Mariana</i>	60	3 00	
<i>Calystegia pubescens fl. pl.</i>	50	1 50	
" <i>sepium</i>	40	1 00	
<i>Chelone glabra</i>	50	3 00	
<i>Chimaphila maculata</i>	60	3 00	
" <i>umbellata</i>	75	4 00	
<i>Caltha palustris</i>	60	3 00	\$25 00
<i>Calla palustris</i>	75	4 00	
<i>Cimicifuga racemosa</i>	60	3 00	20 00
<i>Claytonia Virginica</i>	60	2 00	
<i>Cassia Marylandica</i>	60	2 00	18 00
<i>Calamagrostis brevipilis</i>	60	3 00	
" <i>Nuttalliana</i>	1 00	6 00	
<i>Camptosorus rhizophyllus</i>	60	3 00	
<i>Dioscorea villosa</i>	60	3 00	
<i>Dracocephalum Virginicum</i>	60	3 00	
<i>Dicentra cucullaria</i>	60	2 00	15 00
" <i>Canadensis</i>	75	3 00	
<i>Drosera filiformis</i>	60	1 50	10 00
" <i>rotundifolia</i>	60	3 00	
" <i>intermedia</i>	60	3 00	
<i>Dentaria laciniata</i>	60	3 00	
<i>Dicksonia pilosiuscula</i>	60	2 00	15 00
<i>Eriocaulon gnaphalodes</i>	50	1 50	
" <i>decangulare</i>	60	2 00	
" <i>septangulare</i>	75	3 00	
<i>Erythronium Americanum</i>	60	2 50	20 00
<i>Euphorbia corollata</i>	60	3 00	25 00
" <i>ipecacuanhæ</i>	50	2 00	
<i>Elodes Virginica</i>	60	3 00	
<i>Epilobium angustifolium</i>	60	3 00	
<i>Eupatorium aromaticum</i>	80	4 00	
" <i>ageratoides</i>	75	3 00	
" <i>purpureum</i>	60	2 00	18 00
<i>Eriophorum gracile</i>	75	4 00	
" <i>Virginicum</i>	60	2 00	
<i>Eryngium Virginicum</i>	75	3 00	25 00
<i>Erianthus allopecuroides</i>	60	3 00	25 00
<i>Eulalia gracillima</i>	50	2 00	18 00
" <i>Japonica zebrina</i>	60	2 50	18 00
<i>Galactia glabella</i>	80	5 00	
<i>Gillenia trifoliata</i>	75	3 00	25 00
<i>Gentiana Andrewsii</i>	1 50	6 00	
" <i>saponaria</i>	1 25	6 00	
" <i>angustifolia</i>	80	5 00	
<i>Gerardia flava</i>	60	3 00	

Plants in this type are nursery grown ; in this type, collected.



CRIMSON EYE HIBISCUS.

	Per doz.	Per 100	Per 1,000
<i>Gerardia quercifolia</i>	\$1 25	\$8 00	
<i>Geranium maculatum</i>	60	2 50	
" sanguineum	1 00	5 00	
" Robertianum	1 00	4 00	
<i>Gratiola aurea</i>	60	3 00	
<i>Houstonia cœrulea</i>	50	2 00	
<i>Helianthus divaricatus</i>	60	2 00	\$15 00
" angustifolius	60	3 00	
" Orgyalis	75	4 50	40 00
" lætiflorus	60	2 50	20 00
" giganteus	60	3 00	
<i>Helenium autumnale</i>	60	2 00	15 00
<i>Hibiscus moscheutos</i>	60	3 00	20 00
" " Crimson Eye	60	2 50	18 00
" " Rose Pink	60	3 00	20 00
<i>Hepatica triloba</i>	60	2 00	15 00
" acutiloba	60	2 50	20 00
<i>Helonias bullata</i>	85	4 00	30 00
<i>Habenaria ciliaris</i>	75	5 00	
" blephariglottis	70	4 00	
" tridentata	75	4 00	
" cristata	1 50	8 00	
<i>Hemerocallis fulva</i>	60	2 00	15 00
" flava	85	5 00	
" Dumortieri	85	5 00	
<i>Heuchera Americana</i>	50	2 00	15 00
<i>Ipomœa pandurata</i>	1 00	6 00	
<i>Iris prismatica</i>	60	2 00	15 00
" versicolor	60	1 50	12 00
" Germanica	60	1 50	12 00
" pumila	75	2 50	
<i>Lobelia cardinalis</i>	60	1 75	12 00
" syphilitica	75	2 00	
<i>Liatris graminifolia</i>	50	2 00	15 00
" spicata	75	2 50	
" punctata	75	3 00	

Plants **in this type** are nursery grown; **in this type**, collected.

Lythrum salicaria superba. \$1 per doz., \$5 per 100, \$45 per 1,000.

Lysimachia clethroides. 60 cts. per doz., \$4 per 100.

Lysimachia nummularia. 60 cts. per doz., \$2 per 100, \$18 per 1,000.

Lysimachia punctata. 60 cts. per doz., \$3 per 100.

Lysimachia ciliata. 60c. per doz., \$3 per 100.

Lysimachia quadrifolia. 60c. per doz., \$2.50 per 100.

Lysimachia stricta. 60 cts per doz., \$2 per 100.

Lymnanthemum lacunosum. 85 cts. per doz., \$5 per 100.

Lophiola aurea. 60c. per doz., \$3 per 100, \$25 per 1,000.

Lupinus perennis. 75c. per doz., \$4 per 100.

Liparis lilifolia. \$1.50 per doz., \$8 per 100.



NYPHÆA ODORATA MINOR.

	Per doz.	Per 100	Per 1,000
Lilium superbum	\$0 75	\$3 50	\$28 00
“ Philadelphicum	80	4 00	
Mitchella repens	50	1 50	12 00
Mikania scandens	60	3 00	
Mertensia Virginica	60	2 00	18 00
Nymphaea odorata	60	3 00	25 00
“ minor	75	4 00	30 00
Nuphar advena	60	3 00	
Nepeta glechoma	50	2 00	
Nesaea verticillata	60	3 00	
Oxalis violacea	60	3 00	
Ornithogalum umbellatum	40	1 50	10 00
Orontium aquaticum	90	6 00	45 00
Opuntia Rafinesquii	60	1 50	10 00
Oenothera fruticosa	60	2 00	18 00
Onoclea sensibilis	60	2 00	15 00
“ struthiopteris	70	4 00	
Osmunda regalis	1 00	6 00	50 00



ORONTIUM AQUATICUM.

Osmunda cinna- momea	1 00	6 00	50 00
O. Claytoniana	85	4 00	
Podophyllum pel- tatum	60	2 00	15 00
Pyrola elliptica	60	2 00	
P. rotundifolia	60	3 00	
P. chlorantha	60	2 00	
Pyxidantha bar- bullata	75	3 00	25 00
Phlox maculata	75	3 50	
P. divaricata	75	3 00	25 00
P. subulata	60	2 50	
Pogonia ophio- glossoides	60	2 00	

Plants in this type are nursery grown; in this type, collected.



PLUMBAGO LARPENTÆ.

Pardanthus Chinensis50 cts. per doz., \$3 per 100,
\$20 per 1,000.**Pontederia cordata.**

75c. per

doz., \$4 per 100, \$30 per 1,000.

Peltandra Virginica.

\$1.50

per doz., \$8 per 100, \$60

per 1,000.

Pentstemon barbatus**Torreyi.** 75 cts. per doz.,

\$4.50 per 100.

Pentstemon pubescens.

60c.

per doz., \$2.50 per 100, \$20

per 1,000.

Plumbago Larpentæ.

60 cts. per doz., \$4 per 100,

\$35 per 1,000.

Panicum virgatum.

60c. per

doz., \$2 per 100, \$15 per 1,000.

Phragmites communis.

75 cts.

per doz., \$4 per 100, \$35

per 1,000.

	Per doz.	Per 100	Per 1,000
Phegopteris hexagonoptera	\$0 60	\$3 00	
Polypodium vulgare	60	2 00	\$15 00
Pteris aquilina	60	2 00	15 00
Rhexia Virginica	60	3 00	20 00
Rudbeckia hirta	60	2 50	20 00
" laciniata	60	3 00	25 00
" nitida	75	4 00	35 00
Solidago tenuifolia	50	2 00	15 00
" odora	50	2 00	15 00
" sempervirens	60	2 50	20 00
" virgata	75	3 00	25 00
" puberula	60	2 50	
" altissimum	60	2 50	
" nemoralis	60	2 00	15 00
Sedum acre	60	2 00	15 00
" ternatum	60	2 00	15 00
Sarracenia purpurea	50	2 00	15 00
Silene Pennsylvanica	75	5 00	
" stellata	60	3 00	
Sclerolepis verticillata	75	4 00	
Sabbatia lanceolata	60	3 00	25 00
" chloroides	75	4 00	
Salvia lyrata	60	2 00	15 00
Smilacina racemosa	75	3 00	25 00
" bifolia	75	3 00	25 00
Sagittaria variabilis	50	2 00	18 00
Sanguinaria Canadensis	60	2 00	18 00
Scirpus Eriophorum	60	3 00	
Typha latifolia	60	2 00	15 00
" angustifolia	60	2 00	15 00
Tradescantia Virginica	60	2 50	20 00

Plants **in this type** are nursery grown; **in this type**, collected.

	Per doz	Per 100	Per 1,000
Tradescantia Virginica alba	\$0 75	\$3 50	
“ “ fl. pl.	1 00		
Tephrosia Virginica	60	2 00	\$18 00
Trillium erectum	60	3 00	
“ “ album	75	4 00	
“ grandiflorum	60	2 50	20 00
“ “ roseum	75	4 00	
Vernonia Novaboracensis	60	2 50	20 00
Viola pedata	50	1 50	10 00
“ “ bicolor	80	5 00	
“ cucullata	50	1 50	10 00
“ palmata	75	2 50	
“ primulæfolia	75	2 50	
Veronica officinalis	50	2 00	18 00
“ cercæoides	75	3 00	25 00
Woodsia obtusa	75	3 00	
Woodwardia Virginica	60	2 00	15 00
“ angustifolia	60	2 50	20 00
Xerophyllum asphodeloides	75	5 00	40 00
“ “ (collected)	60	2 00	15 00
Yucca filamentosa	80	3 50	30 00

General List of TREES AND SHRUBS.

Varieties in **full-faced type** are nursery-grown; others are collected plants. Collected plants of most of the following species will be from 1 to 3 feet, cut back to about 2 feet. Extra care is taken to get plants that are thrifty and well rooted.



ANDROMEDA MARIANA.

	Per doz.	Per 100	Per 1,000
Arctostaphylos Uva-ursi	\$0 60	\$2 00	\$15 00
Amelanchier Canadensis . 1 to 2 ft. 2 years, transplanted	75	4 00	30 00
Amelanchier Canadensis . (Collected.)	60	2 00	15 00
Amelanchier Canadensis var. rotundifolium . (Ripens fruit in July)	75	4 00	30 00
Amelanchier botryapium	60	2 50	20 00
Amorpha fruticosa	60	2 00	
Acer rubrum . 1 to 2 ft.	30	1 50	12 00
“ “ 2 to 3 ft.	60	2 50	20 00
“ “ 3 to 4 ft.	75	3 50	30 00
(These are straight and well-rooted.)			
Acer Pennsylvanicum	75	4 00	35 00
Asimina triloba	60	3 50	30 00
Ascyrum stans	60	2 00	
“ Crux-Andræ	60	2 00	
Ampelopsis quinquefolia	60	2 50	20 00

Plants **in this type** are nursery grown; **in this type**, collected.

Andromeda Mariana. 8 to 12 in. 60 cts. per doz., \$4 per 100, \$30 per 1,000.

Andromeda Mariana. 1 to 2 ft. \$1 per doz., \$5 per 100, \$40 per 1,000. (Have fine stock of *A. Mariana* in nursery, 2 and 3 years old.) 1 to 2 ft., Col. 50 cts. per doz., \$2 per 100, \$15 per 1,000.

Andromeda racemosa. 1 to 2 ft. 80c. per doz., \$5 per 100, \$40 per 1,000. 1 to 2 ft., Col. 60 cts. per doz., \$3 per 100, \$25 per 1,000.

Andromeda Ligustrina. 1 to 2 ft. 80 cts. per doz., \$4 per 100. 1 to 2 ft., Col. 50 cts. per doz., \$3 per 100, \$25 per 1,000.

Andromeda calyculata. 1 ft. 75 cts. per doz., \$3 50 per 100. 1 ft., Col. 50 cts. per doz., \$2 per 100, \$15 per 1,000.



ANDROMEDA
CALYCULATA.

	Per doz.	Per 100	Per 1,000
Andromeda arborea. 2 to 3 ft. Very bushy and fine.	\$1 00	\$6 00	\$50 00
Azalea viscosa. 1 to 2 ft. Fine bushy plants, 2 years, trans.	1 25	8 00	
“ “ (Collected.)	60	3 00	25 00
“ nudiflora	60	3 00	25 00
Ailantus glandulosus. 2 ft.	60	2 50	20 00
Betula populifolia. 3 ft. 2 years, transplanted	75	4 00	
“ “ 2 ft. Collected	60	2 00	12 00
“ nigra. 2 ft.	60	2 00	18 00
“ “ 3 ft., bushy	75	4 00	
Baccharis halimifolia	75	3 00	25 00
Carya alba	60	4 00	
“ tomentosa	60	4 00	
Corylus rostrata	75	4 00	
“ Americana. 2 to 5 ft.	80	5 00	
“ “ Collected	60	3 00	20 00



AZALEA VISCOSA.

Carpinus Americana. 60 cts. per doz., \$4 per 100, \$30 per 1,000.

Cornus Florida. 2 ft. 50c. per doz., \$3 per 100, \$20 per 1,000.

Cornus cericea. 2 ft. 60 cts. per doz., \$3 per 100, \$28 per 1,000.

Cornus alternifolia. 1 to 2 ft. 60 cts. per doz., \$3 50 per 100, \$25 per 1,000.

Cornus stolonifera. 2 ft. 75 cts. per doz., \$5 per 100. Collected. 60 cts. per doz., \$3 per 100.

Cornus paniculata. 60 cts. per doz., \$3 per 100, \$25 per 1,000.

Cornus circinata. 2 ft. 75 cts. per doz., \$4 50 per 100, \$40 per 1,000.

Cephalanthus occidentalis. 2 ft. 80 cts. per doz. Col., 60 cts. per doz., \$4 per 100.


Plants in this type are nursery grown; in this type, collected.

		Per doz.	Per 100	Per 1,000
Comptonia asplenifolia.	12 to 18 in. Bushy . . .	\$0 60	\$3 00	
"	Collected	50	1 50	\$10 00
Cupressus thyoides.	1 to 2 ft.	50	2 00	12 00
"	6 in.			4 00
Chionanthus Virginica.	6 to 8 in.	60	4 00	
"	8 to 12 in.	75	5 00	40 00
"	1 to 2 ft.	1 00	6 00	45 00
"	Collected	75	3 50	30 00
Clethra alnifolia.	8 to 12 in. Bushy	60	2 50	20 00
"	1 to 2 ft. Bushy	75	3 00	25 00
"	2 ft. Extra heavy	1 00	4 00	
"	1 to 2 ft., Collected	50	2 00	15 00
"	2 to 3 ft., Collected	60	2 50	20 00
Clematis Virginica	60	2 50	18 00
Celastrus scandens.	2 ft.	75	3 00	20 00
"	Collected	50	2 00	15 00
Ceanothus Americanus.	1 ft. Bushy	75	4 50	40 00
"	1 ft. Collected	60	4 00	30 00
Cercis Canadensis	75	4 00	30 00
Crataegus parvifolia	60	3 00	25 00
Diospyros Virginiana	60	2 00	15 00
Epigea repens.	Small seedlings, with ball	1 00	6 00	45 00
Euonymus Americanus.	2 ft. 3 years, transplanted	75	3 50	
"	2 ft. Collected	60	2 50	20 00
"	Europeus. 3 ft. Bushy	1 25	5 00	
Fagus feruginea	60	2 50	20 00
Fraxinus Americana	75	3 50	30 00
"	sambucifolia	75	3 50	30 00
Gaylussacia frondosa.	60 cts. per doz., \$3 per 100, \$25 per 1,000.			
Gaylussacia resinosa.	50 cts. per doz., \$2 per 100, \$15 per 1,000.			
Gaylussacia dumosa	6 in. 75 cts. per doz., \$4 per 100.			
Gaylussacia dumosa.	Col 60 cts. per doz., \$3 per 100, \$20 per 1,000.			
Gaultheria procumbens.	25 cts. per doz., \$1.50 per 100, \$10 per 1,000.			
Hamamelis Virginica.	50c. per doz., \$3 per 100, \$25 per 1,000.			
Hypericum densiflorum.	60c. per doz., \$1.50 per 100, \$10 per 1,000.			
Hydrangea arborescens.	2 ft. 75c. per doz., \$5 per 100. Col., 65 cts per doz., \$3 per 100, \$25 per 1,000.			



ITEA VIRGINICA. (See page 14.)

Plants in this type are nursery grown; in this type, collected.



MAGNOLIA GLAUCA. (See page 15.)

		Per doz.	Per 100	Per 1,000
Hudsonia ericoides		\$0 60	\$2 00	\$15 00
“ tomentosa		60	2 50	20 00
Iva frutescens		60	3 00	25 00
Itea Virginica.	2 ft. Bushy	60	3 00	25 00
“	Collected	50	2 50	20 00
Ilex glabra.	8 to 12 in.	60	3 00	20 00
“	1 to 2 ft., with ball	10 00	17 00	
“ opaca.	1 ft. Bushy	1 50	8 00	
“	2 ft. Bushy	2 00	12 00	
“	1 ft. Collected	75	4 00	30 00
“ verticillata		85	5 00	40 00
Juniperus Virginiana		50	2 00	15 00
“ communis		75	3 00	25 00
Kalmia latifolia.	2 ft. 2 years, transplanted	3 00		
“	6 to 12 in. Collected	60	2 50	20 00
“ angustifolia.	1 ft. Bushy. 2 years, trans.	1 50		
“	Collected	60	2 00	15 00
Liquidambar styraciflua.	1 to 2 ft.	60	2 50	20 00
“	2 to 3 ft.	75	3 50	30 00
“	3 to 4 ft.	90	5 00	
“	4 to 5 ft.	1 25	8 00	

Plants **in this type** are nursery grown; **in this type**, collected.

		Per doz.	Per 100	Per 1,000
Liquidambar styraciflua.	5 to 6 ft.	\$2 00	\$15 00	
"	Collected	50	2 00	\$18 00
Liriodendron tulipifera.	1 to 2 ft.	60	2 50	22 00
"	2 to 3 ft.	75	3 50	30 00
"	3 to 4 ft.	90	5 00	
"	4 to 5 ft.	1 50	9 00	
"	5 to 6 ft.	2 25	16 00	
"	Collected	50	2 00	15 00
Leiophyllum buxifolium.	8 to 12 in. Bushy.			
"	3 years, transplanted	2 50	8 00	
"	6 to 12 in. Collected .	60	2 00	15 00
Lycium vulgare.	2 to 3 ft.	60	2 50	20 00
Lonicera Halleana.	2 years	75	4 00	35 00
"	1 year	60	3 50	30 00
"	brachypoda	60	3 50	30 00
Lindera Benzoin.	2 ft. Bushy	80	6 00	
"	Collected	60	3 00	25 00
Magnolia glauca.	8 to 12 in.	1 00	6 00	
"	12 to 18 in.	1 50	8 00	
"	18 to 24 in.	2 00	10 00	
"	Collected	75	3 50	30 00
Myrica cerifera.	1 ft. Bushy	75	3 50	30 00
"	Collected seedlings	60	2 50	20 00
"	Collected layers	60	2 00	15 00
Menispermum Canadense.	60	2 50	20 00
Nyssa multiflora	60	3 00	20 00
Ostrya Virginica	60	4 00	30 00
Prunus maritima.	1 to 2 ft.	75	3 50	30 00
"	Collected	60	2 50	20 00
"	serotina	60	3 00	25 00
"	Virginiana	60	3 00	25 00
Pyrus arbutifolia.	1 to 2 ft. 2 years, transplanted	75	3 50	
"	Collected	50	2 00	18 00
"	melanocarpa. (Black-fruited.)	60	2 50	20 00
Platanus orientalis.	5 to 8 ft.	1 50	8 00	
Potentilla fruticosa.	1 to 2 ft. Bushy	60	4 00	
"	Collected	50	2 50	20 00
Pinus rigida	50	2 00	15 00
"	mitis	50	2 00	15 00
"	inops	60	2 50	20 00
Rhus copallina.	1 to 2 ft.	75	3 00	
"	Collected	50	2 00	12 00
"	glabra	75	2 50	15 00
"	tiphyna	75	2 50	20 00
Robinia hispida	60	3 00	25 00
Rubus odoratus.	Transplanted	75	3 00	
"	Collected	50	2 00	15 00
"	cuneifolius	50	2 00	15 00
"	Canadensis	50	1 80	10 00
"	hispidus	50	1 50	10 00
Rosa Carolina.	8 to 12 in. 1 year, transplanted	75	3 00	

Plants in this type are nursery grown; in this type, collected.

		Per doz.	Per 100	Per 1,000
Rosa Carolina.	Collected	\$0 60	\$2 00	\$18 00
“ lucida.	8 to 12 in. 1 year, transplanted	75	4 50	40 00
“ “	Collected	50	2 00	18 00
“ humulis		75	3 00	25 00
Rhododendron maximum		75	3 00	25 00
Sambucus Canadensis		50	2 00	15 00
“ pubens		75	3 00	25 00
Symphoricarpos vulgaris.	12 to 18 in.	50	2 50	20 00
“ “	18 to 24 in.	60	3 00	25 00
“ “	2 to 3 ft.	75	4 00	35 00
Spiraea tomentosa.	2 ft.	75	3 00	
“ “	Collected	50	2 00	15 00
“ salicifolia		60	3 00	20 00
Staphylea trifolia		60	3 00	25 00
Sassafras officinalis		50	2 00	18 00
Smilax rotundifolia		40	2 00	15 00
“ Walterii.	Scarlet-fruited	1 00	6 00	
Tecoma radicans		50	2 50	20 00
Vaccinium corymbosum.	18 to 24 in. Bushy	80	4 00	
“ “	12 to 18 in. Bushy	60	3 50	
“ “	Collected	60	3 00	25 00
“ stamineum.	1 ft.	80	5 00	
“ “	Collected	75	4 00	30 00
“ vacillans		50	2 00	15 00
“ Pennsylvanicum		60	3 00	25 00
“ macrocarpon		50	1 50	10 00
Viburnum acerifolium.	1 to 2 ft.	75	4 00	
“ “	Collected	60	3 00	25 00
“ dentatum.	1 to 2 ft. Transplanted	75	4 00	
“ “	Collected	60	3 50	30 00
“ prunifolium		60	3 00	25 00
“ nudum.	18 to 24 in. Bushy	75	5 00	
“ “	Collected	60	3 00	25 00
“ cassinoides.	1 to 2 ft.	75	5 00	
“ “	Collected	60	4 00	
“ pubescens		75	4 00	
Xanthoxylum Americanum.	1 to 2 ft.	80	5 00	
“ “	Collected	75	4 00	30 00

Plants in this type are nursery grown; in this type, collected.



SUPPLEMENT TO SPRING TRADE-LIST, 1897.

VIOLETS.

Plants from 2-inch pots. Rooted Runners of Several Varieties at Reduced Prices.

Farquhar. We think this variety will displace Marie Louise. It is somewhat earlier with us under same conditions. Color very uniform dark purple, flower of large size and very fragrant, and as free as Marie Louise. A nice and distinct grower. The Farquhar, Marie Louise and Lady Campbell were shown at Boston, January, 1896, by Mr. McKay. They were all in excellent form and grown under the same conditions. The Farquhar stood as superior in color, length of stem and size; particularly in size were the flowers remarkable. It has been certificated by the Massachusetts Horticultural Society. 50 cts per doz., \$3 per 100, \$25 per 1,000.



Hardy English. Very desirable for frames or outdoor planting, blooming a week to 10 days later than the other varieties; very fragrant dark purple flowers; very free. 75 cts. per doz., \$5 per 100.

Marie Louise. Very generally grown, and still excellent in some localities, although the stock seems to be weak or affected in many sections; fragrant and very free. 35 cts per doz., \$2 per 100.

California. An excellent single-flowered variety; very strong grower; flowers dark purple, very freely produced on long stems; fragrant and very effective. 35 cts. per doz., \$2 per 100, \$15 per 1,000.

Luxonne. Flower very similar to California; a stronger grower. 10 cts. each, \$1 per doz.

Princess of Wales. Highly recommended; said to be very productive, fragrant and a strong grower; long stems. 10 cts. each, \$1 per doz., \$7 per 100.

DAISIES.

From 2-inch pots.

Giant Californian. Very large white flowers on long stems; free. 50 cts. per doz., \$3 per 100.

Etoile de Lyon. An elegant yellow-flowered variety; long stems and very free; from early spring months on. 75 cts. per doz., \$5 per 100.

ANTIRRHINUM (Snapdragon).

The white-flowered variety. A real desirable plant for cut-flower purposes. Very free flowering, fine. 2-inch pots, 75 cts. per doz.

BOUGAINVILLEAS.

These are amongst the very finest decorative plants in cultivation. Nearly all are very strong, rapid growers, blooming freely, even in very small plants. With us they are in flower usually from December to July. The flower bracts are very lasting; with little or no moisture they can be held in a cut state six to eight weeks. *B. glabra* we think the best for cutting, the bracts, which are of a beautiful mauve color, being larger than those of the other varieties; is also less compact in growth and more effective for decorative use. *B. glabra Sanderiana* has bracts identical in color, but they are very compactly arranged on the branches, a well set plant vieing with any Azalea for color effect. This variety is specially valuable as a pot plant, the habit being more compact than *B. glabra*; it is also extremely useful for cutting, and equally as lasting. *B. speciosa* (?) is an elegant very light mauve-flowered (bracted) variety; it is a weak grower compared with the foregoing sorts, yet not troublesome to flower. Of *B. glabra* and *B. glabra Sanderiana* we expect to have a nice stock in early fall; at present we can offer medium to large plants as below:

BOUGAINVILLEA glabra. 50 cts. to \$10 each.

B. glabra Sanderiana. Specially valuable for Christmas and Easter. 50 cts. to \$5 each.

B. speciosa (?). 50 cts. each.

THEO. F. BECKERT,
Glenfield, Pa.

